

B LINE




CARTELLA TESSUTI | FABRIC REFERENCE CHART


SS

Solids & Stripes Sunbrella


100% Acrilico
100% Acrylic



TSS5453



TSS5476




TSS5420


EV

Revive 1 Kvadrat


100% Poliestere FR riciclato
100% Recycled FR polyester




TEV224



TEV324




TEV154



TEV524



TEV774




TEV424

RX

Remix 2 Kvadrat


90% Lana vergine/New wool
10% Nylon




TRX123



TRX682




TRX173



TRX662



TRX743



TRX982

HE

Hero Kvadrat
96% Lana vergine/New wool
4% Nylon




THE211



THE141



THE791



THE541



THE991




THE381

LN

Panama Dani
100% Pelli bovine europeee
100% European cow hides




LN5506




LN5290



LN5300



LN5400



LN5428



LN5320

FE


Extrema AU Flukso
63% PU
29% COT
8% PES



TFE350



TFE4450




TFE2150



TFE950



TFE1950



TFE3250

Revive 1

Kvadrat

430 g/mtl | g/lin.m

60.000 Martindale

**Remix 2**

Kvadrat

415 g/mtl | g/lin.m

100.000 Martindale

**Hero**

Kvadrat

580 g/mtl | g/lin.m

45.000 Martindale



0575/15

**Panama**

Dani

sp | thk 1,0-1,2 mm

resistenza allo strappo/

tear resistance

20 N | EN ISO 3377 -1

resistenza alla flessione/

flex resistance

nessuna rottura

in 50.000 cicli/

no damage

in 50.000 cycles

EN ISO 5402

Solids & Stripes

Sunbrella

260 g/mq | g/sqm

resistenza del colore ai raggi

UV - outdoor 1000h / colour

fastness UV - outdoor 1000h

4-5 / ISO 105 B04

**Extrema AU**

Flukso

480 g/mq | g/sqm

150.000 Martindale

