Wire Tough



Technical features colour production method pile material pile height pile weight / m2 total weight / m2 number of colours maximum size without seams cleaning

: 2601-2607 : tufted : 70% new wool, 30% Tencel® : 25 mm : 3300 gram : 4500 gram : 7 : 500 cm width, length unlimited : professional cleaning recommended

design

Durability

Wool has a natural elasticity and is also naturally resistant to dirt. Tencel⊚ inhibits bacteria growth Wire Tough has been tested by Tüv Rheinland and is suitable for private and contract market. Suitable for castor chairs. This rug can be used with under-floor heating, unless it is a wall to wall rug.

Fire safety

Wire Tough made of 70% pure new wool, which is naturally flame retardant.

Sustainability

Tencel[®] is 100% biobased and has been awarded the prestigious USDA Certification for Sustainability.

Maintenance

• It is important to vacuum your rug at least once a week to prolong its durability. The most effective way to remove dirt and dust is with the furniture cleaning attachment provided with your vacuum cleaner. A vacuum cleaner with a standard nozzle tends to remove less dirt and dust.

: Studio Linse

- Never use a rotating vacuum brush on this quality; this will permanently damage your rug.
- Vacuuming a new rug will produce fluff, but this is temporary. This fluff does not affect the quality of your rug.
- The ideal air humidity for wool is around 50%. Please note that if the air humidity is below 50%, the material becomes dry and its natural elasticity will decrease.
- In order to prevent wool from drying out, we recommend misting your woollen rug with water regularly.
- If rubber soles are frequently walked over a Wire Tough rug, it will wear quicker, especially if rotating or shifting movements are consistently made in one place.
- In order to prevent heavy use on one particular location, we recommend turning your rug around once in a while.

Due to our use of natural materials, slight colour differences may occur.