### GLISS MASTER — VINCENT VAN DUYSEN 2015



Molteni&C has extended the possibilities for Gliss Master, renewing the architectural concept of the nighttime area. The melamine offering is enriched with a new internal finish, a "White" texture, and a new warm Bronze finish, feminine and sophisticated, which represents the latest interpretation of this metal. The insides feature new accessories, such as the top of the structure which can be made of glass, to make the wardrobe even more transparent. The Master chest-of-drawers also has new tops, one made of transparent glass framed in Pewter and Bronze-coloured aluminium, which, thanks to the LED lighting, enhances the drawer inside; the other enriched with a stackable and pull-out threelayer trinket tray, which can be positioned at will. Two new options for the doors: "Swing" door, matt lacqured, which can be opened at 180°. "Twin" door, with the strong formal appeal typical of Vincent Van Duysen, with a new Pewter-coloured outer handle.

The Internet Of Things (IOT) joins the world of Molteni&C nighttime systems – Gliss Master and Master Dressing – with avant-garde solutions and innovations that guarantee wardrobes the best environmental quality. AIRCUB ® – a Molteni&C exclusive – is an IOT device easily manageable from your smartphone with a dedicated APP. The air purification and perfuming system works by ionizing and ozonizing wardrobe interiors, thereby removing up to 95% of agents harmful to health, while releasing delicate fragrances.

### DATASHEET

REGISTERED DESIGN

IX.2018

**1**—

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

# Molteni & C

2-41

### **FINISHES**

Eco Skin extraclear fine grain transparent glass/ transparent melamine melamine matt **Finishes** cartapaglia glossy woods coloured shinv pewter glass/ etched coloured colour/ bronze structure front lacquer lacquered lacquer alumicomponents colours colours nium/ black glass/ mirror stopsol/ stopsol chrome

base/lid														
back panel											only linear			
1														
anel														
frame														
glass											central only transparent			
profile														
glass														
profile														
glass														
profile														
glass														
profile	1													
panel														
	profile glass  profile glass  profile glass	profile glass  profile glass  profile glass	profile glass  profile glass  profile glass	back panel  In anel  Iframe     qlass  profile     glass  profile     glass  profile     glass	back panel  In anel  Iframe     qlass  profile     glass  profile     glass  profile     glass  profile     profile     profile     profile     profile	back panel  In anel  Iframe     qlass  profile     glass  profile     glass  profile     glass  profile     glass	back panel  anel  frame glass  profile glass  profile glass  profile glass  profile glass	back panel  anel  frame     qlass  profile     glass  profile     glass  profile     glass  profile     glass	back panel  anel  frame  glass  profile  profile  glass  profile  glass  profile  profile  profile  profile  profile  glass	back panel  anel  frame qlass  profile glass  profile glass  profile glass  profile glass	back panel  In anel  Iframe  Iglass  Iprofile  Iprofile	back panel only linear only li	back panel only linear anel only linear	back panel only linear only li

		melamine structure	pewter colour/	pewter colour/	fine grain pewter colour/	transparent glass		larix dark/ silver cembran	matt lacquer colours			
internal fittings			bronze profile	bronze profile	bronze profile							
shelf												
wooden drawer fronts H 126/190/382												
tray front (trouser holders/t	rinket trays)											
front for open drawers / p	oull-out trays											
glass drawer fronts/	profile											
glass shelf	glass											
drawer internal												
dividing partitions - grid with	shirt/sweater holders											
island drawer unit												
drawer unit												

colours

Melamine

Matt lacquer/

Melamine
structure
YB white shantung
YG grey shantung
YM alrix dark
YA silver cembran
WW white
Melamine front
KB cartapaglia awhite
KB cartapaglia white
KB cartapaglia white
KB cartapaglia silica
WB grafitato silica
WB grafita

Glossy lacquer lacquer BC chalk white PE pearl DN dune PL platinum NE black AT anthracite SE mustard SI silica D0 dolomite grey AL clay MK moka CM caramel CZ light blue grey SA sand RU ruby RE rust PX pewler colour RX copper T0 dove grey

Coloured glass
glass
BC chalk white
PE pearl
DN dune
PL platinum
NE black
AT anthracite
SE mustard
SI silica
MK moka
CM caramel
CZ light blue grey
SA sand
RU ruby
RE rust
PX pewler colour
RX copper
TO dove grey Etched coloured glass
BC chalk white
PE pearl
DN dune
PL platinum
NE black
AT anthracite
SE mustard
SI silica
DO dolomite grey
AL clay
MK moka
CM caramel
CZ light blue grey
SA sand
RU ruby
RE rust
RU ruby
RE rust
PX pewler colour
RX copper
TO dove grey Etched coloured

Woods EU eucalyptus RG grey oak RF graphite oak

Eco Skin grey mink hemp ivory dark brown

### DATASHEET

REGISTERED DESIGN

### **TECHNICAL INFORMATION**

#### **STRUCTURE**

BASE

Wooden particleboard panel faced with melamine and adjustable feet in contact with the ground.

COVER, PARTITION AND BACK PANEL

Wooden particleboard panel faced with melamine. The partitions are provided with adjustable feet in contact with the ground.

FINE GRAIN BACK PANEL Chipboard coated with cylinder etched coextruded sheet of ABS-PMMA, painted in specific Molteni finish.

BACK PANEL, LID, SIDE PANEL AND CENTRAL PARTITION (GLASS)
Frame perimeter in painted extruded aluminium with 4 mm tempered glass. Available in different finishes.

Molteni & C

3-

41

SIDE PANEL (MELAMINE)
Wooden particleboard panel faced with melamine. Adjustable feet in contact with the ground.

SIDE PANEL (MATT OR GLOSSY LACQUERED IN THE COLOURS)

Wooden particleboard panel faced with melamine. Outside painted in the colours of the "Molteni Range". Adjustable feet in contact with the ground.

SIDE PANEL (WOOD)

Wooden particleboard panel with inner melamine facing and outer facing with sliced Oak (Quercus) or Eucalyptus (Eucalyptus globulus). Adjustable feet in contact with the ground.

CENTRAL FRAME PARTITION Frame perimeter in painted extruded aluminium.

COVERING PROFILES AND RUNNERS

Extruded aluminium covered with melamine facing or painted, with dust-proof seals.

FRONT EDGING

Anodised extruded aluminium, lacquered in the "Molteni Range" colours or faced with sliced Oak or Eucalyptus.

### DOORS

MELAMINE (START - TWIN - "A FILO" - BLADE - GRIP - DEEP)
Wooden particleboard panel faced with melamine. Cushioned hinges and sliding system. Handles in various materials and finishes.

MATT OR GLOSSY LACQUERED IN THE COLOURS (START - "A FILO" - BLADE - GRIP - DEEP - NICHE - SWING)
Wooden particleboard panel faced with melamine, painted in the colours of the "Molteni Range". Cushioned hinges and sliding system.
Handles in various materials and finishes. For the SWING model, the panel is trimmed using a painted aluminium extrusion.

WOOD (START - TWIN - "A FILO" - BLADE - GRIP - DEEP - NICHE)

Wooden particleboard panel faced with sliced Oak or Eucalyptus. Handles in various materials and finishes.

GLASS HINGED DOOR ("A FILO")

Wooden particleboard panel faced with melamine, with a 5-mm-thick glass panel or mirror applied, painted in the colours of the "Molteni Range". Outer frame profile of anodised extruded aluminium. Cushioned hinges.

GLASS SLIDING DOOR ("A FILO") Frame in anodised extruded aluminium with mounted mirror or 5 mm glass, painted in "Molteni Range" colours. Sliding system with shock absorbers.

Extruded aluminium frame with 4 mm glass available in different finishes. Recessed hinges with 180° opening.

WINDOW doors

Frame in painted extruded aluminium with 5 mm glass available in different finishes. Recessed soft close hinges.

SKIN doors

Frame in painted extruded aluminium with honeycomb panel inserted and covered in eco-leather. Recessed soft close hinges.

DATASHEET

REGISTERED DESIGN

IX.2018

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

GLISS MASTER-

VINCENT VAN DUYSEN

Molteni & C

4-

41

### **TECHNICAL INFORMATION**

### INTERNAL FITTINGS

PULL-OUT SHIRT HOLDER

Painted parts made using a phenolic laminated panel. Front tray made of woodchip board faced with melamine. Bottom clad in eco-leather

DRAWER UNIT STRUCTURE FOR FRAME SIDES Chipboard panel with melamine facing, painted in specific Molteni finish.

INNER SHELVES, DRAWER OR TRAY FRONT, MOVABLE TRAYS SET AND GRID WITH SHIRT AND SWEATER HOLDERS Wooden particleboard panel faced with melamine.

INNER SHELVES WITH FRONT PROFILE Chipboard panel covered with melamine facing, front profile in painted extruded aluminium.

INNER SHELVES IN ECO SKIN

Chipboard panel covered with melamine facing, front profile in painted extruded aluminium and upper covering in eco-leather.

Anodised aluminium rod. Tube support of chrome-plated plastic material.

GLASS FRONT PANEL AND GLASS SHELVES

In painted or extruded aluminium. 4-mm-thick tempered glass.

Chipboard panel covered with cylinder etched coextruded sheet of ABS-PMMA, painted in specific Molteni finish. Perimeter profile in painted extruded aluminium.

DRAWER AND TRAY INNER SIDES

Wooden particleboard panel faced with melamine.

DRAWER AND TRAY INNER BOTTOM

Wooden particleboard panel faced with melamine.


SHOE RACK AND TROUSER RACK PROFILES In anodised or painted aluminium extrusion.

PULL-OUT MIRROR Metal frame with mirror 4 mm th.


HANDLES AND VARIOUS ACCESSORIES In various materials and finishes.

BASE, TOP AND SHELVES IN WOOD (ISLAND WITH GLASS DOORS) Chipboard panel covered with wood veneer in Eucalyptus or Oak.


See technical sheet enclosed with the product.



- **1** Top
- 2 Base
- 3 Partition
- 4 Side
- 5 Extension profile
- 6 Back
- 7 Covering profile or bottom runner
- 8 Covering profile or top runner
- 9 Shelf th. 30
- 10 Clothes rails
- 11 Shoe rack shelf
- 12 Drawers
- 13 Trouser holder trinket trays
- 14 Grid with shirt and sweater holders
- 15 Pull-out mirror
- 16 Pull-out shirt holder



- 17 Side glass panel
- 18 Central glass partition
- 19 Central frame partition
- 20 Drawer unit structure
- 21 Glass back panel



DRAWER INTERIOR

DATASHEET

REGISTERED DESIGN

### **MODULARITY**

### **Modularity - Structure**

The widths 492 - 656 - 820 - 984 - 1312 - 464 (term. element) mm (19 3/8" - 25 7/8" -

32 1/4" - 38 3/4" - 51 5/8" - 18 1/4") include the left side panel. The total width of the composition will include the final panel of th. 30 mm (1 1/8"). Heights: tot. H 2343 (92 1/4"), door 2313 (91"), int.2253 (873/4"), sliding or flush sl. door inter. 2163 (85 1/8")

tot. H 2439 (96"), door 2409 (94 7/8"), int. 2349 (92 1/2"), sliding or flush sl. door inter. 2259 (88 7/8")

tot. H 2631 (103 5/8"), door 2601 (102 3/8"), int. 2541 (100"), sliding or flush sl. door inter. 2451 (96 1/2")

tot. H 2919 (114 7/8"), door 2889 (113 3/8"), interior 2829 (111 3/8"), only hinged

#### **Assembly instructions**

For the assembling of a sliding and a flush sliding door wardrobe a minimum space of 6 cm (2 3/8") is required considering the minimum height of the compartment. Assembly of the corner element (for wardrobe with doors) requires a minimum extra height of 6 cm (2 3/8").


Assembly of a wardrobe in an alcove requires a minimum extra side space of 4 cm (1 5/8").

A wardrobe with hinged doors and a lighting system requires a minimum extra height of 5 cm (2").

### Molteni & C



41



	1312 51 5/8"	1	1312 51 5/8"			
984 3	18 3/4"	984 38 3/4"	984 38 3/4"			
492 19 3/8"	820 32 1/4"	820 32 1/4"	820 32 1/4" 492 19 3/8			

984 38 3/4"	820 32 1/4"	984 38 3/4						
2982 117 3/8"								
	2902 117 9/8							
984 38 3/4"	984 38 3/4"	984 38 3/4"						

3146 123 7/8" —							
	1312 51 5/8"		1312 51 5/8" 492 19				
	820 32 1/4"	820 32 1/4"		820 32 1/4"	656 25 7/8"		

——————————————————————————————————————							
820 32 1/4" 820 32 1/4"		820 32 1/4"		820 32 1/4"			
656 25 7/8"	1312 51 5/8"		1312 51 5/8"				

			- 3474 136 <sup>3</sup> /4"			
984 38 3/4"	492 19 3/8	3"	984 38 3/4"		984 38 3/4"	
1312 51 5/8"			820 32 1/4"		1312 51 5/8"	

3638 143 1/4" —						
984 38 3/4"	984 38 3/4"			984 38 3/4"		656 25 7/8"
984 38 3/4"	820 32 1/4"			820 32 1/4"		984 38 3/4"
1312 51 5/8"				1 5/8"	984 38 3/4"	

-		3802 149	3/4" ———		
1312	984 38 3/4"		984 38 3/4"	492 19 3/8"	
656 25 7/8"	1312	51 5/8"		492 19 3/8"	

	3966	156 1/8" ————			
1312 51 5/8"	131	2 51 5/8"	1312 51 5/8"		
984 38 3/4"	984 38 3/4"	984 38 3/4"	984 38 3/4"		

### DATASHEET

REGISTERED DESIGN


### **DOORS**

# **START-TWIN hinged doors** applicable only on structures with wood sides




In the pairs of TWIN hinged doors W 815, 979 and 1307, are availables 2 handles or handle only on right door.

"A FILO" hinged doors applicable only on structures with wood sides



**DEEP-GRIP hinged doors** applicable only on structures with wood sides



### Molteni & C

6-

41

NICHE doors


applicable only on structures with wood sides

The pairs of hinged doors START


and "A FILO" always have a handle mounted on the right door.

WINDOW - SKIN door applicable on all types of structures


GLASS-SWING doors, th 35 applicable on all types of structures



In the pairs of hinged doors W 815, 979 and 1307, are availables 2 handles or handle only on right



The hinged doors WINDOW and SKIN are made with recessed hinges fixed to base and top, and have a thickness




GLASS-SWING doors are made with 180° hinges built into the side (a Molteni exclusive)

### Sliding doors




It is possible to make sliding door wardrobes with doors of the following types:

- START "A FILO"
- GRIP
- DEEP - BLADE



Detail of side panel with extension profile





sliding door with two handles if using the "A FILO" or BLADE door (full-height handle) and applying the surcharge


It is possible to make the external

### Flush sliding doors









### DATASHEET

REGISTERED DESIGN


### **DOORS**

155° opening (only for compartments with wooden sides)


On START - TWIN - "A FILO" - GRIP - DEEP - NICHE doors it is also possible to use 155° opening hinges, with an extra charge per individual door. In this case, it is necessary to take special care in inserting internal drawer units, trinket trays and devices.

It is also necessary to comply with the diagrams provided here.

### Molteni & C




**7**—



### Hinged doors with key lock

For the hinged doors specified, a key lock can be fitted to order. There is a additional cost for one or two doors. It can even be fitted on a terminal element or a corner element (in compliance with the handle installation rules). For doors with a lock, the internal drawer units must be suspended. Installation of only the lock can be requested, without a handle, always considering the price of the START doors and the additional cost of the lock.



### DATASHEET

REGISTERED DESIGN

### **CORNER ELEMENT**

### Corner element D 595 - open or with GLASS/SWING doors

The corner element is provided complete with a base, lid and backs (melamine or fine grain). Between the corner element and the adjacent modules, it is necessary to insert central partitions in melamine, frame or glass.

The corner element can also receive a side panel to close the composition. Compartments adjacent to the closed corner element can be open or closed with GLASS or SWING doors.

#### Notes

The shelf is not included in the price of the corner element.

Shelves and lids can be fitted with LED lighting bars, as indicated in the drawing below.

The corner element can be reduced in height, width and depth. In width, the reduction can be carried out either on one side only or on both sides, up to a minimum width of 1101 mm.

Reduction in depth can be done on one or on two sides, up to a minimum of 435 mm. If only one side is reduced, that will be the side with the longest shelves (\*).








### Molteni & C













The corner element can be fitted with shelves and clothes rails, or with this solution of drawer units that have a central partition H 1158 where the desired drawer unit can be inserted. The drawer unit can be with fronts W 420 or 584.





No type of drawer unit can be inserted with frame or glass sides

### DATASHEET

REGISTERED DESIGN

### **STRUCTURE**

#### Structure for walk-in closet

In version  ${\bf A}$ , the structure (base, lid, central partitions, back and side panels) is in melamine, in the same finish as the structure.

The back piece can also be provided in fine grain finish.

The side panels are always provided without extension profile (see detail).

In version **B**, the central partitions and sides are made with an aluminium frame with pewter colour or bronze finish, with or without glass.

Base, lid and back piece are in melamine, in the same finish as the structure.

The back piece can also be provided in fine grain or glass finish.


Horizontal tags on the base and lid are made in a pewter colour or bronze finish like the side frames

In version C, given the presence of frame sides in pewter colour finish, the central and side partitions in melamine are also made with from tags in pewter colour or bronze, considering the specific price.


### Molteni & C

version A - Structure with wooden sides (melamine in the same colour as the structure)

9-41



version C - Structure with mixed sides (H max 2631)



### DATASHEET

REGISTERED DESIGN

### **STRUCTURE**

#### Linear modules

Linear modules are made up of a base and lid always made in melamine in the same finish as the structure.

The back is available in the three versions indicated below.

 $\bf A1$  and  $\bf A2$  can be reduced in height, width and depth if closed by sides and doors that are compatible with the requested reductions.

A3 can be reduced only in height.

#### **Central partitions**

These are available in melamine, in the same finishes as the structure, frame and glass. The melamine version can be reduced in height and depth.

The frame and glass versions can be reduced only in height.

Compartments with frame or glass sides must always include a shelf or a drawer unit.

#### Side panels

These are available in melamine, in the same finishes as the structure, frame and glass. The melamine version can be reduced in height and depth.

The outside of the side panel is available in the matt lacquer, glossy lacquer or wooden (vertical grain) finishes.

The standard finish on side panels is an extension profile in the coloured matt lacquer, pewter colour, bronze, shiny alumium or black chrome finishes (to be specified in the Order). The extension profiles for glossy lacquer or wood side panels always match the side panels of the same finish.

The frame and glass versions can be reduced only in height.


Compartments with frame or glass sides must always include a shelf or a drawer unit.

### Molteni & C

### 10—


### 41

#### A1 - Melamine back



# A1 Base, lid and back made in melamine finish matching the structure


#### A2 - Fine grain back



Base and lid made in melamine finish matching the structure.
Back with fine grain finish

### A3 - Glass back

(only hinged GLASS, WINDOW and closet)



#### A3

Base and lid made in melamine finish matching the structure.
Back in glass, only made with frame and glass sides.


It is possible to produce single finished modules W 790/954 with lateral pieces in glass by using the glass lids


### Central partitions, th 30

### Warning:

frame sides and glass sides will only have holes at the position of the shelves. Complete hole series at regular intervals 96 mm will involve an extra charge per side.

### Side panels, th 30





### DATASHEET

REGISTERED DESIGN

### **WARDROBE REDUCTIONS**

### Structure reductions

Type of reduction	height	width	depth
Linear modules D 595 mm melamine back or fine grain back	per millimetre	per millimetre	min -20 mm max -256 wardrobe / flush sliding ward. max -160 mm
Linear modules D 595 mm glass back	per millimetre	no reductions	no reductions
Linear elements D 435 mm	per millimetre	per millimetre	min -20 mm max -96 mm
Corner element for wardrobe with doors	per millimetre	no reductions	no reductions
Corner element open or for GLASS/SWING doors	per millimetre	1 side up to 1101 x 1282	1 side up to mm 435
	hei illillillere	2 sides up to 1101 x 1101	2 sides up to mm 435
Terminal element	per millimetre	no reductions	no reductions
Wooden central partition or side panel	per millimetre		reductions depend on linear modules
Frame or glass side panel or central partition	per millimetre		no reductions

The retailer should remember to verify the stability of wardrobes having a depth inferior to 595 mm and arrange to have anti-tilt devices mounted if necessary.

### 11-41

Molteni & C

### **Door reductions**

Type of reduction	height	width
Wooden hinged doors (START - TWIN - "A FILO" - GRIP - DEEP - NICHE)	per millimetre	per millimetre
"A FILO" glass hinged doors	per millimetre	per millimetre
Wooden sliding doors (START - "A FILO" - BLADE - GRIP - DEEP)	per millimetre	ONLY doors W 979 and 1307 mm - reducible down to W 815 mm
"A FILO" glass sliding doors	per millimetre	no reductions
Wooden flush sliding doors (START - TWIN - "A FILO" - GRIP - DEEP) Flush sliding doors W 1471 mm cannot be reduced.	per millimetre	no reductions
"A FILO" glass flush sliding doors	per millimetre	no reductions
SKIN doors	no reductions	no reductions
WINDOW / GLASS / SWING doors	per millimetre	reducible down to W 405 mm

### **Reductions of internal fittings**

Type of reduction	height	width	depth	
Wood shelves		per millimetre	reductions depend on linear modules	
Shelves with pewter colour profile		per millimetre	reductions depend on linear modules	
Eco Skin shelves		per millimetre	reductions depend on linear modules	
Glass shelves		per millimetre	reductions depend on linear modules	
Clothes rails		per millimetre		
Central divider pieces	32 mm intervals		reductions depend on linear modules	
Internal drawers / trinket trays, trouser holders and pull-out trays / grid with shirt and sweater holders / shoe rack shelves /pull-out shirt holders / lighting shelves / islands / movable trays	no reductions	no reductions	no reductions	

 $<sup>^{\</sup>star}$  If the corner shelves are reduced on two sides, consider double the cost. Lighting bars can be reduced with a surcharge included in the fee for cutting the shelf.

### Cuts to measure

Diagonal cut doors (only for wardrobes with wooden sides)
When compiling the order, indicate the heights H1 and H2 and the width L as in the example.


The cost of a diagonal cut for each single door is the same as that for the hinged


door in the table on page of the doors.

Compositions with diagonal slant are always built with single-door compartments. Only fitted with START, TWIN, "A FILO", GRIP or DEEP hinged doors. Doors must be hinged to the highest side panel. The door finish options for slanted wardrobes are restricted to cartapaglia, matt lacquer and matt lacquered cartapaglia. Structures can be either in standard sizes or customised.

### Standard or cut-to-size doors (only for wardrobes with wooden sides)

For these solutions you can use either single or double units with hinged doors.





DATASHEET

REGISTERED DESIGN

IX.2018

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## GLASS TOP FOR WARDROBES FINISHED WITH ONLY ONE COMPARTMENT W 790/954

To use only with:

- single linear module W 790 / W 954 (no modular arrangement is possible)
- only with glass lateral pieces and glass back panel

Glass finish transparent glass

transparent glass transparent stopsol glass stopsol glass Profile finish

pewter colour bronze

Increase valid for depths 595 - 23 3/8"





W 790 - 31 <sup>1</sup>/8"

W 954 - 37 <sup>1</sup>/<sub>2</sub>"

**12**—

DATASHEET

REGISTERED DESIGN

### START door th 25

Door with handles mounted on the front.

All the hinged doors have cushion-closing hinges.

The sliding door have a shock absorber mechanism which allows them to open and close softly. **Hinges with 155° opening can be used and a key lock can be installed on hinged doors.** 

### Handles

Type "E" Type "M"

#### Notes

Sliding doors and flush sliding doors are not available in H 2889.

With fronts in cartapaglia melamine, graffiato, silk and lacquered cartapaglia finishes, the outside of the side panel can be made with matt lacquer finish (in the same colour as the front), or in melamine in the same finish as the inside structure (if the side panel is not visible).

### Molteni & C

**13**—

Type "M" surcharge for each Type "E" standard START door melamine cartapaglia Finish
pewter colour
shiny aluminium
black chrome
bronze melamine graffiato melamine silk Pewter colour structure with front insert: matt lacquer col\ours cartapaglia lacquered colours glossy lacquer colours vertical grain wood pewter colour matt lacquer colours woods coloured glass etched coloured glass hole 286 11 1/4" Structure and front insert: shiny aluminium black chrome bronze hole 232 9 1/8" 1150 hole 232 -9 1/8" hole 286 11 1/4"

### finishes melamine

	front	colours	lacquered	vertical grain wood	giossy lacquer colours
hinged doors			colours		
width 487 (19 1/8")					
width 651 (25 5/8")					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
door for terminal element					
sliding doors					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
width 1471 (57 7/8")					
flush sliding doors					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
width 1471 (57 7/8")					

### DATASHEET

REGISTERED DESIGN

### TWIN door th 25

Door with pewter colour or bronze finish handle mounted on the front.

All the hinged doors have cushion-closing hinges. The sliding door have a shock absorber

mechanism which allows them to open and close softly.

Hinges with 155° opening can be used and a key lock can be installed on

### Notes

Flush sliding doors are not available in H 2889.

With fronts in cartapaglia melamine, graffiato, silk and lacquered cartapaglia finishes, the outside of the side panel can be made with matt lacquer finish (in the same colour as the front), or in melamine in the same finish as the inside structure (if the side panel is not visible).

## Molteni & C


### TWIN door

melamine cartapaglia melamine graffiato melamine silk matt lacquer colours cartapaglia lacquered colours glossy lacquer colours vertical grain wood

### Handle finish pewter colour bronze

### 14-

41



	finishes				
hinged doors	melamine front	matt lacquer colours	cartapaglia lacquered colours	vertical grain wood	glossy lacquer colours
width 487 (19 1/8")					
width 651 (25 5/8")					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
door for terminal element					
flush sliding doors				'	
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
width 1471 (57 7/8")					

### DATASHEET

REGISTERED DESIGN

### "A FILO" door th 25

Door with full-height handle included in the thickness of the door. The door is available in the versions wood and glass.

All the hinged doors have cushion-closing hinges.

The sliding door have a shock absorber mechanism which allows them to open and close softly. **Hinges with 155° opening can be used and a key lock can be installed on hinged doors.** 

#### Motos

Sliding doors and flush sliding doors are not available in H 2889. Glass hinged doors are not available in H 2889. Flush sliding glass doors cannot be used in compositions with 3 doors.

With fronts in cartapaglia melamine, graffiato, silk and lacquered cartapaglia finishes, the outside of the side panel can be made with matt lacquer finish (in the same colour as the front) or in melamine in the same finish as the inside structure (if the side panel is not visible).

### Molteni & C

**15**—

41


### "A FILO" wooden door


melamine cartapaglia melamine graffiato melamine silk matt lacquer colours cartapaglia lacquered colours glossy lacquer colours vertical grain wood

### "A FILO" glass door

Glass: coloured etched coloured mirror

Profile and "a filo" handle: pewter colour bronze





fi	nis	sh	es

	melamine front	matt lacquer colours	cartapaglia lacquered	vertical grain wood	colouerd glass/ etched coloured
hinged doors			colours		glass/ mirror
width 487 (19 1/8")					
width 651 (25 5/8")					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
door for terminal element					
sliding doors					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
width 1471 (57 7/8")					
flush sliding doors					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
width 1471 (57 7/8")					

### DATASHEET

REGISTERED DESIGN

### **BLADE** sliding door th 25

Door with full-height handle.

The sliding system automatically aligns the door as it opens and closes.

BLADE doors are not available with H 2889.


With fronts in cartapaglia melamine, graffiato, silk and lacquered cartapaglia finishes, the outside of the side panel can be made with matt lacquer finish (in the same colour as the front), or in melamine in the same finish as the inside structure (if the side panel is not visible).

## Molteni & C

### **16**—

41

BLADE sliding door melamine cartapaglia melamine graffiato melamine silk matt lacquer colours cartapaglia lacquered colours glossy lacquer colours vertical grain wood



	finishes							
sliding doors	melamine front	matt lacquer colours		vertical grain wood	glossy lacquer colours			
width 815 (32 1/8")								
width 979 (38 1/2")								
width 1307 (51 1/2")								
width 1471 (57 7/8")								

### DATASHEET

REGISTERED DESIGN

### GRIP door th 25 DESIGN VINCENT VAN DUYSEN

Door with a handle applied laterally on the edge of the door.

All the hinged doors have cushion-closing hinges.

The sliding door have a shock absorber mechanism which allows them to open and close softly. Hinges with 155° opening can be used on hinged doors.

Sliding doors and flush sliding doors are not available in H 2889.

In the pair of hinged doors, the handle is mounted on both doors in the pair.

With fronts in cartapaglia melamine, graffiato, silk and lacquered cartapaglia finishes, the outside of the side panel can be made with matt lacquer finish (in the same colour as the front), or in melamine in the same finish as the inside structure (if the side panel is not visible).

### Handles finishes

pewter colour

bronze

pewter colour covered in Eco Skin in the colours (with surcharge per handle) bronze covered in Eco Skin in the colours (with surcharge per handle)


### Molteni & C

17-

41

### GRIP door

melamine cartapaglia melamine graffiato melamine silk matt lacquer colours cartapaglia lacquered colours glossy lacquer colours vertical grain wood



### finishes

width 1471 (57 7/8")

hinged doors	melamine front	matt lacquer colours	cartapaglia lacquered colours	vertical grain wood	glossy lacquer colours
width 487 (19 1/8")					
width 651 (25 5/8")					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
door for terminal element					
sliding doors					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
width 1471 (57 7/8")					
flush sliding doors					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					

### DATASHEET

REGISTERED DESIGN

### DEEP door th 25 DESIGN VINCENT VAN DUYSEN

Door with recessed handle.

All the hinged doors have cushion-closing hinges.

The sliding door have a shock absorber mechanism which allows them to open and close softly.

Hinges with 155° opening can be used on hinged doors.

#### Notes

Sliding doors and flush sliding doors are not available in H 2889.

In the pair of hinged doors, the handle is mounted on both doors in the pair.

With fronts in cartapaglia melamine, graffiato, silk and lacquered cartapaglia finishes, the outside of the side panel can be made with matt lacquer finish (in the same colour as the front) or in melamine in the same finish as the inside structure (if the side panel is not visible).

### Handles finishes

pewter colour

bronze

pewter colour covered in Eco Skin in the colours (with surcharge per handle) bronze covered in Eco Skin in the colours (with surcharge per handle)


### Molteni & C

18-

41

### DEEP door

melamine cartapaglia melamine graffiato melamine silk matt lacquer colours cartapaglia lacquered colours glossy lacquer colours vertical grain wood



### finishes

hinged doors	melamine front	matt lacquer colours	cartapaglia lacquered colours	vertical grain wood	glossy lacquer colours
width 487 (19 1/8")					
width 651 (25 5/8")					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
door for terminal element					

### sliding doors

width 815 (32 1/8")			
width 979 (38 1/2")			
width 1307 (51 1/2")			

### DATASHEET

REGISTERED DESIGN

IX.2018

### flush sliding doors

width 815 (32 1/8")			
width 979 (38 1/2")			
width 1307 (51 1/2")			

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

### NICHE door th 25 DESIGN VINCENT VAN DUYSEN

Door with recessed handle.

All the hinged doors have cushion-closing hinges.

Hinges with 155° opening can be used on hinged doors.

### Handles finishes


pewter colour bronze

## Molteni & C

NICHE door matt lacquer colours glossy lacquer colours vertical grain wood

### **19**—

41



hinged doors		glossy lacquer colours
width 487 (19 1/8")		
width 651 (25 5/8")		
width 815 (32 1/8")		
width 979 (38 1/2")		
width 1307 (51 1/2")		
door for terminal element		

### DATASHEET

REGISTERED DESIGN

### GLASS door, th 35, 180° opening DESIGN VINCENT VAN DUYSEN

Glass door with 180° opening made with a special soft close hinge inserted in the profile and completely hidden in the side (exclusively by Molteni).

A full height handle is designed in the profile.

**Notes**GLASS doors are not available in H 2889.

In the pair of hinged doors, the handle is mounted on both doors in the pair.


The GLASS door can also be installed on the open corner module.

## Molteni & C

GLASS door

20-

41



### DATASHEET

REGISTERED DESIGN

### SWING door, th 35, 180° opening DESIGN VINCENT VAN DUYSEN

Matt lacquered door with panel and perimeter profiles with a 180° opening made with a special soft close hinge inserted in the profile and completely hidden in the side (exclusively by Molteni). A full height handle is designed in the profile.

#### **Notes**

SWING doors are not available in H 2889.

In the pair of hinged doors, the handle is mounted on both doors in the pair.


The SWING door can also be installed on the open corner module.

## Molteni & C

SWING door

### 21-

41



### DATASHEET

REGISTERED DESIGN

### WINDOW door th 30 DESIGN VINCENT VAN DUYSEN

Glass hinged door with pewter colour finished aluminium frame and lateral handle.

The doors are fitted with recessed hinges inserted in the base and top.

#### Notes

WINDOW doors are not available in H 2889.

In the pair of hinged doors, the handle is mounted on both doors in the pair.

### Handle finishes

pewter colour bronze


pewter colour covered in Eco Skin in the colours (with surcharge per handle) bronze covered in Eco Skin in the colours (with surcharge per handle)

### Molteni & C

WINDOW glass door

### 22-

41



### DATASHEET

REGISTERED DESIGN

### SKIN hinged door th 30 DESIGN VINCENT VAN DUYSEN

Eco Skin covered hinged door with pewter colour and bronze finished aluminium frame and lateral handle.

The doors are fitted with recessed hinges inserted in the base and top.

The door is always divided into 3 equal parts.

SKIN doors are not available in H 2889.

In the pair of doors, the handle is mounted on both doors in the pair.


pewter colour bronze

pewter colour covered in Eco Skin in the colours (with surcharge per handle) bronze covered in Eco Skin in the colours (with surcharge per handle)

### Molteni & C

SKIN hinged door

23-41



### DATASHEET

REGISTERED DESIGN

### **SPECIAL ELEMENTS**

### Column with open compartment

- Can be inserted only in wardrobes without doors or with hinged doors.
- Central partitions and/or lateral pieces close the column and cannot be frame or glass.

   The open compartment is always in matt lacquered colours.
- Doors are always without handles because they protrude with respect to the structure.
- Drawers are fitted with the "E" handle of the START door.
- Front finish: melamine front, matt lacquered colours, glossy lacquered colours and wood.
- $\ensuremath{^{\star}}$  The price does not include the central partitions or side panels, nor the internal shelves.

### Reductions


Reductions are allowed only in height, and costs of cutting the structure and doors are applied. Open compartment and lower part cannot be reduced.


Wire passage **EPA1** Ø 60 chrome on request on back.

The back of the open compartment cannot hold a mounted TV.

### Molteni & C

24-41





### DATASHEET

REGISTERED DESIGN

### **SPECIAL ELEMENTS**

#### Column with external drawers

- Can be inserted only in wardrobes with hinged doors.
- Central partitions and/or lateral pieces close the column and cannot be frame or glass.
- Pairs of doors always have only one handle mounted on the right door.
- Drawers are fitted with the "E" handle of the START door.
   Front finish: melamine front, matt lacquered colours, glossy lacquered colours and wood.

#### Reductions

Reductions are allowed only in height, and costs of cutting the structure and doors are applied.


### Molteni & C

Doors with type "E" handle

25-41

H 2631 H 2919 H 2343 H 2439 **├** 954/1282 **├** 2153 1865 157 W 954 W 1282 W 954 W 1282 W 1282 W 954 MCE9/23E MCE13/23E MCE9/24E MCE13/24E MCE9/26E MCE13/26E MCE9/29E MCE13/29E

### Doors with "A FILO" handle



### DATASHEET

REGISTERED DESIGN

 $<sup>^{</sup>ullet}$  The price does not include the central partitions or side panels, nor the internal shelves.

### **FILLERS AND OPENING SIDE TRIMS**

### **Horizontal filler**

The filler is supplied in two parts, one part to be fixed to the ceiling to which the other will be hooked on (see diagram below).

The distance of the filler from the door is the client's decision. In the cartapaglia finish, the grain direction is always vertical. In the wood and graffiato finish, the grain direction is always horizontal.

The vertical filler can be placed flush with the structure or the door. This detail must be specified in the order to prepare the side panel (see example).

If this detail is not specified when placing the order, the filler will automatically be placed flush with the structure and the side panel will have the extension profile.

Opening filler horizontal sections

min 180 - max 487

solid wood

to wall

structure

min 180 - max 487

partition without

extension profile

### Opening fillers

Can be made with START and "A FILO" door. For handles, see surcharge.

Always have the 155° hinges.

Are the same height as the other doors in the composition.

Have a closing strip on their lower part.


In the wood finish, the grain direction is always vertical.

### Molteni & C

### 26-

41


### Horizontal filler side sections




### 工3 ceiling min 117 filler max 302 39/45 for 3-door flush sl. doors wardrobe door

### Vertical filler horizontal sections


### Flush with structure



### Flush with door



### Set back



### DATASHEET

REGISTERED DESIGN

### LIGHTING SYSTEM

### Lighting bars with front LEDs

Internal compartments of Gliss Master wardrobes can be equipped with front LED lighting. The lighting bar can be applied to lids or to wooden, transparent glass and Eco Skin shelves. Using the electrified wire strip installed on the side (wood, frame or glass), the shelf can be moved. For each compartment length, we have make specific lighting bars with wiring compliant with European safety standards.

A wire strip is not needed if the compartment only has lighting on the top piece.

Lighting bars can be reduced with a surcharge for the shelf cutting.

#### Liahtina shelves

It is possible to insert one or more lighting shelves in Gliss Master compartments. Using the electrified wire strip mounted on the side panel, the lighting shelf can be moved. Lighting shelves can be connected to the wire strip on the left side panel or can be mounted without wire strip.

#### Notes


When placing the order, the customer must indicate how many shelves with lighting bars or lighting shelves are required. Lighting bars or lighting shelves can be placed in the same compartment. For assembly: a lighting system on wardrobe with hinged doors requires a minimum extra height of 5 cm (2").


Individual wire strip is always installed on the left side panel of the compartment, with the exception of corner units for walk-in wardrobes and of the compartment next to the corner unit.


When ordering, indicate compartments with wire strip.

### Molteni & C

27-41







### DATASHEET

REGISTERED DESIGN


### **LIGHTING SYSTEM**

### System construction diagram

A composition (wardrobe) can be equipped with more than one system and more than one power supply unit. The system with sensor must be autonomous from the system with remote controlled electrical socket.

### Molteni & C

**28**-



#### types of systems with remote control system with wire strip for remote control system with remote control electrical socket (not for use with glass backs) suggested for wardrobes without doors (walk-in wardrobes) electrical socket or radio remote electrical socket control suggested for wardrobes without doors (walk-in one radio remote control unit can control wardrobes) and glass doors and glass doors systems with 2 power supply units max. Otherwise, more radio remote control units must be used. partition in wood, partition in wood, frame or glass frame or glass ★ each power supply unit can power a max. of 100W or max 6 wire strips or 6 LED lights power supply unit (per composition ★) wire strips on lateral pieces (per compartment) connector (for compositions of 4 power supply units max.) radio remote control (optional) • (optional) (optional)

### DALI kit (for DOMOTICA)

n. 1 for each power supply unit cannot be used with radio remote control

### DATASHEET

REGISTERED DESIGN

IX.2018



Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.


### **INTERNAL ACCESSORIES**

Aircub is an air purifier and aroma diffuser that eliminates up to 95% of the harmful agents inside wardrobes through a process of ionisation and ozonation. Aircub can be managed easily from your smartphone with a dedicated app. Aircub can be installed on the back panel of each compartment. Just plug it into the electrical socket and turn it on. Every Aircub has a single plug. Up to 3 Aircubs per wardrobe can be installed using the specific multi-socket connector.

## Molteni & C

29-41

Aircub - air purifier W 270 D 28 H 120 W 10 5/8" D 1 1/8" H 4 3/4" (cable length L3m)




### product advantages

- improves air quality
- reduces bacteria that cause foul odours
   prevents mould and mites from forming
- dispenses fragrance
- does not have filters that require maintenance or changes
- includes n.1 fragrance pod


### multi-socket connector

cable length 3m W 250 D 60 H 40 W 9 7/8" D 2 3/8" H 1 5/8"









### DATASHEET

REGISTERED DESIGN

### **INTERNAL FITTINGS**


Internal fittings with wooden sides

## Internal fittings with frame or glass sides

### Molteni & C

30-





- 4 Trouser holder
- Clothes rail


1

Modular drawer unit only for wooden sides

Shelf th 30 mm


(wood, glass, Eco Skin)


- 5 Central divider piece th mm 30 only for compart. with wooden sides
- 6 Swivel pull-out mirror only for compart. with wooden sides
- 7 Shirt and sweater holder grid only for wood sides
- 8A Inclined shoe rack shelf only for wooden sides
- 8B Horizontal shoe rack shelf only for frame or glass sides
- 9 Pull-out shirt holder only for wooden sides



- **10** Floor standing drawer unit only for compart. with frame or glass sides
- 11 Suspended drawer unit only for compart. with frame or glass sides

### Section of internal fittings






### DATASHEET

REGISTERED DESIGN

### **INTERNAL FITTINGS - SHELVES, SHOE RACK SHELVES**



Molteni & C

31-41

Eco Skin shelves can be fitted with front LED light bars and comply with the wiring standards

When ordering,

Eco Skin shelves - shelves with Eco Skin cover (only D 538)

D 538 th 30 D 378 th 30


specify the finish Eco Skin and profile



W 790 RE/8

W 954 W 1282 RE/9 RE/13


Eco Skin shelf for open corner element th 30



Shoe rack shelves

Shoe rack shelves can be used with wood sides and with frame or glass sides. When inserted between wood sides, this part will always be inclined (example 1). When there are frame or glass sides, this part will always be horizontal (example 2). Notes

To hook to the frame or glass sides, add the price of the relative metal profiles.



DATASHEET

REGISTERED DESIGN

Molteni & C

32-

41

## INTERNAL FITTINGS - CLOTHES RAILS, HANGER RAILS, PULL-DOWN HANGERS, CENTRAL DIVIDER PIECES

#### clothes rails clothes rail for corner compartment with doors W 298 W 462 W 790 W 954 W 1282 W 626 P0/3 P0/4 P0/6 P0/8 P0/9 P0/13 POA/6 clothes rail clothes rails for D 435 for open corner to mount on wood shelves or compartment top only with hinged doors nr. 1 piece on compartment W 626/790 nr. 2 pieces on compartment W 954/1282 W 723 W 1262 P0Q/4 POA/7 POA/13 hanger with clips W 450 pull-out coat hanger rail hanger for melamine shelf (without profile) th 30 W 450 beech stained grey beech stained grey (package of 10 pieces) (package of 3 pieces) time production 0P10 0P11 0P7 Maximum pull-down hanger load-bearing capacity H mm 1040 for compart. W 626 for compart. W 954 10 kg for compart. W 790 for compart. W 1282 SER/6 SER/8 SER/9 SER/13 When ordering, specify the finish of the front profile: floor standing 1734 central divider pieces 1542 pewter colour or bronze D 538 th 30 1350 SDT/04 SDT/05 SDT/07 SDT/09 SDT/11 SDT/13 SDT/15 SDT/17

### DATASHEET

REGISTERED DESIGN

### **GLASS LID FOR CHEST OF DRAWERS**

### To be used only in compartments with wooden sides

Modular chests of drawers can be made with a transparent glass lid in the module widths 790/954/1282.

The top can be fitted with a LED lighting bar, but it cannot be connected to the cable holder. The connection to the power cord has to pass behind the back panel.

Eco Skin bottoms in grey can be inserted.

## Molteni & C


W 790 W 954 CSV/08 CSV/09

W 1282 CSV/13

33-

41

### Example of use



DATASHEET

REGISTERED DESIGN

### **INTERNAL FITTINGS - MOVABLE TRAYS SET**

### Only for use in compartments with wooden sides

These units can be positioned on the floor-standing drawer units or suspended over a drawer H 190 of the same dimensions as the unit (see ex. 1).

The price of the blocks does not include the shelf covering the drawer unit.

#### Finishes


The trays are always made in melamine in the finish of the structure with bottom in grey Fco Skin.


The trinket tray is always dolomite lacquered.


### example 1

### Molteni & C

**34**-







The price of the blocks does not include the shelf covering the drawer unit

for compartment W 954 for compartment W 1282

BVS9/03/1

BVS13/03/1

DATASHEET

REGISTERED DESIGN

Molteni & C

35-

41

### INTERNAL FITTINGS - PULL-OUT SHIRT HOLDER - GRID WITH SHIRT AND SWEATER HOLDERS

### Pull-out shirt holder only for use in compartments with wooden sides

These units can be positioned on the floor-standing drawer units or suspended over a drawer H 190 of the same dimensions as the shirt unit (see ex. 1).


### **Finishes**

The tray set on top of the shelf is always finished in melamine in the same finish as the structure with Eco Skin bottom grey finish.


The shirt holder grid is always dolomite lacquered.

### example

# 



When ordering, specify the finishes of the trays set on shelves and the shirt holder grid for compartment W 954 including resting shelf for compartment W 1282 including resting shelf





### Grid with shirt and sweater holders


These elements are fixed and to be used set on shelves or on drawer units. Only in compartments with wood sides.


### Grid with shirt and sweater holders






W 790 D 378 H 480





### Examples of use




### DATASHEET

REGISTERED DESIGN

### **INTERNAL FITTINGS - MIRRORS**

### Procedure for using the swivel pull-out mirror


hinged door



## Molteni & C







sliding / flush sliding door

41

### DATASHEET

REGISTERED DESIGN

### **INTERNAL FITTINGS - MODULAR DRAWERS AND TRAYS**

#### Notes

The parts of this internal fittings are produced with width and height dimensions corresponding to the modular compartments. This makes it possible to organise the internal spaces in a number of ways. To correctly and quickly determine the internal fittings, some of the possible compositions arein the following pages.

The pairs of side panels suspended or resting on the floor are essential for inserting all

the elements.

Compositions must be completed with a top shelf.

When ordering, specify the handle finish as pewter colour or bronze.

No reductions of any kind can be made on drawers, trays and pairs of side panels.

### Warnings on using compartments adjacent to the corner element

It is impossible to use trouser or trinket trays (used individually).

#### Wooden drawer finishes

melamine front in structure finish

fine grain finish front with pewter colour or bronze profile

drawer inside in grey saffiano melamine

#### Glass drawer finishes

transparent glass front with pewter colour or bronze frame inside in grey saffiano melamine

126

190 7 1/2"

### Open drawer finishes

melamine front in structure finish inside in grey saffiano melamine

### Molteni & C

### Items available

37-41

Wooden drawers (melamine or fine grain) Glass drawers

Open drawers

STANDARD handle (pewter colour, bronze or Eco Skin finish)



















#### **HOLD** handle (pewter colour or bronze finish)






126











H 416 - 580 - 716 - 880 - 1208 H 16 3/8-22 7/8" - 28 1/4" - 34 5/8" - 47 1/2"

### DATASHEET

REGISTERED DESIGN

### **INTERNAL FITTINGS - MODULAR DRAWERS AND TRAYS**

**Trouser holder finishes** melamine front in the same finish as the structure or fine grain with pewter colour or bronze profile inner frame in grey saffiano melamine with trouser holder in grey saffiano embossed

### Trinket tray finishes

melamine front in the same finish as the structure or fine grain with pewter colour or bronze profile inner frame, bottom and grid in grey saffiano melamine

### **Pull-out trays finishes**

melamine front in structure finish with shelf and back in grey saffiano melamine

### STANDARD handle (pewter colour, bronze or Eco Skin finish)



# **HOLD** handle (pewter colour or bronze finish)


Notes

Prices of drawers, trays and pull-out trays include the cost of the pewter colour or bronze finish STANDARD handle. For the STANDARD handle covered in Eco Skin, add a supplementary charge for each.

Molteni & C

38-41

### Trouser holder




N.B.: usable only with suspended side panels as the bottom piece




580 - 716 - 880 22 7/8" - 28 1/4" - 34 5/8"


### Trinket trays (tie and belt) with internal grid






internal tray dividers





### **Pull-out trays**



### DATASHEET

REGISTERED DESIGN

### **INTERNAL FIITINGS - ACCESSORIES FOR DRAWERS**

#### Leather trays

leather trays men's drawers W 206 D 430 H 58 (A) W 206 D 215 H 58 (B)

#### Eco Skin bottoms

Handmade leather trays with Alcantara bottom.
The version for men is brown (cat. P col. D533),
The version for women is powder pink (cat. P col. D524).

Made with grey coloured Eco Skin.

# Molteni & C

41

watch holder (A)


CEV/MA1

watch/ bracelet holder (A) jewellery holder with movable dividers (B) complete men's drawer offer

39—



CEV/MB1



leather trays women's drawers W 206 D 430 H 58 (A)

W 206 D 215 H 58 (B)

watch holder watch/
(A) bracelet holder
(A)

CEV/MA2

jewellery holder with movable dividers (B) ring holder earn (B) (B)


earring holder complete women's (B) drawer offer













Modularity drawings for inserting trays into drawers

drawer W 416




-834











drawer W 880



drawer W 1208



Eco Skin bottoms

**for drawers**D 432/473 special for 1st drawer with glass lid

W 366 W 530 W 666 W 830 W 1158
CEQ/F4 CEQ/F6 CEQ/F8 CEQ/F9 CEQ/F13

DATASHEET

REGISTERED DESIGN

### **ISLAND DRAWER UNIT - DRAWER UNIT**

### Island drawer unit

Made completely in larix dark or silver cembran melamine and available in two versions: with or without trinket trays in dolomite lacquer. Shelves in Eco Skin are available in colours in the catalogue. Standard handles are mounted, in pewter colour or bronze finish. It is possible to make STANDARD handles covered in Eco Skin with a supplemental charge for each.

### version with trinket trays

- Side A has 6 drawers H 190 and 2 extractable trinket tray blocks.
- Side B has 4 drawers H 190 and and lower open compartments.

### version without trinket trays

- Side A has 6 drawers H 190 and upper open compartment.
- Side B has 4 drawers H 190 and and lower open compartments.

#### Dimensions of the island cannot be reduced, and the compositon cannot be modified.

It is possible to substitute the melamine drawers with glass drawers by adding the difference in price from  ${\bf CLN8/19}$  and  ${\bf CVN8/19}.$ 

It is possible to substitute the melamine drawers with drawers with fine grain fronts by adding the difference in price of the finishes of the code **CLN8/19**.


### Molteni & C

40-

41

island drawer unit with trinket trays W 1518 D 1022 H 897 W 59 3/4" D 40 1/4" H 35 3/8"







larix dark/silver cembran: STANDARD handle HOLD handle

island drawer unit without trinket trays

W 1518 D 1022 H 897 W 59 3/4" D 40 1/4" H 35 3/8"





larix dark/silver cembran: STANDARD handle


HOLD handle

### Drawer unit

Made in larix dark, silver cembran or matt lacquer in Molteni range colours. Standard handles are mounted, in pewter colour finish. It is possible to make STANDARD handles covered in Eco Skin with a supplemental charge for each.

### drawer unit

W 1292 D 527 H 897 W 50 7/8" D 20 3/4" H 35 3/8'



### DATASHEET

REGISTERED DESIGN

### **ISLAND WITH TRANSPARENT GLASS DOORS**

Island that can be created with structure in transparent glass and horizontal parts in wood. Shelves are in wood except for those indicated  $(\star)$  which are always in glass.

The island cannot be reduced or modified with respect to the versions in the price list.

Structure finish pewter colour bronze


**Base unit / top / shelf finishes** eucalyptus graphite oak


H 880 - 34 5/8" with top D 1000 - 39 3/8" W 1673 - 65 7/8"

W 2001 - 78 3/4"

### Molteni & C

**41**—





without LEDs with LEDs

The island is available with or without LED lighting applied on all shelves and tops as shown. The system includes the cable holders and power supply units that enable it to work with a remote control.

FULL STATE AND S

### DATASHEET

REGISTERED DESIGN

Monemac						ASS
FINISHES MOLTENI&C RANGE IX.2018	MATT LACQUER	GLOSSY LACQUER	COLOURED GLASS	ETCHED COLOURED GLASS	CARTAPAGLIA LACQUERED only Gliss Master	STOPSOL GLASS TRANSPARENT STOPSOL GLASS
CHALK WHITE	•	•	•	•	•	
PEARL	•	•	•	•	•	
SILICA	•	•	•	•	•	
SAND	•	•	•	•	•	
DOVE GREY	•	•	•	•	•	
PLATINUM	•	•	•	•	•	
DUNE	•	•	•	•	•	
CLAY	•	•	•	•	•	
DOLOMITE GREY	•	•	•	•	•	
COPPER	•	•	•	•	•	
RUST	•	•	•	•	•	
RUBY	•	•	•	•	•	
CARAMEL	•	•	•	•	•	
MOKA	•	•	•	•	•	
MUSTARD	•	•	•	•	•	
LIGHT BLUE GREY	•	•	•	•	•	
PEWTER COLOUR	•	•	•	•	•	
ANTHRACITE	•	•	•	•	•	
BLACK	•	•	•	•	•	
STOPSOL						•
LESSLESS RED only matt lacquer	•					

## FINISHES MOLTENI&C RANGE

IX.2018

WOODS MARBLES METAL PARTS WHITE CARRARA BLACK CHROME EUCALYPTUS AMERICAN WALNUT RED LAGUNA GRAPHITE OAK EMPERADOR DARK PEWTER COLOUR GREY OAK BLACK MARQUINA COPPER BRONZE BLACK OAK WALNUT SAHARA NOIR DOOR FRAME, TRACK COVERING PROFILES CALACATTA GOLD ASH WOOD IN NATURAL COLOUR **BROWN ALUMINIUM** ASH WOOD STAINED BLACK

The finishes shown are indicative and refer to the entire production range. We recommend that you consult the "Colour Range" samples which shown the complete range of finishes, including those not shown here. Molteni&C reserves the right to modify the range without warning.

# FINISHES MOLTENI&C RANGE

MELAMINE STRUCTURE GLISS MASTER MELAMINE FRONT ECO SKIN GLISS MASTER CARTAPAGLIA WHITE WHITE SHANTUNG **IVORY** HEMP GREY SHANTUNG CARTAPAGLIA ANTHRACITE CARTAPAGLIA SILICA MELAMINE STRUCTURE GLISS MASTER, MASTER DRESSING, GLISS WALK-IN GRAFFIATO SILICA DARK BROWN SILVER CEMBRAN GREY GRAFFIATO BRONZE LARIX DARK SILK DOVE GREY MELAMINE STRUCTURE FINE GRAIN GLISS MASTER, MASTER DRESSING SILK SILICA FINE GRAIN WHITE SILK CHALK WHITE