STK - SKID BASE



# STICK CHAIR STK skid base



STK - SKID BASE







Minimum amount of material employed, maximum transparency, great comfort, extreme lightness and easy handling. Stick Chair sums up the characteristics of the modern multi-purpose armchair. It sets new reference standards in terms of design, innovation and quality for furnishing work areas, where functional characteristics are just as important as having a convincing look.

STK - SKID BASE







With its clean essential lines, the Stick Chair Skid Base presents the perfect combination of features of the modern multi-purpose chair, where practicality and functionality merge together to form a winning look. Suitable for use as visitors' chairs, or in meeting rooms, conference halls, libraries, multi-purpose spaces and waiting areas, it was designed to be move easily and was fitted out very simply and quickly with accessories.



STK - SKID BASE







### STK - SKID BASE






#### Writing tablet

Optional writing tablet is easy to remove and replace.

To intall the tablet, position the fastening element of the tablet on the right vertical segment of the chair's frame.

Rotate the tablet anticlock-wise until the bottom linking element is close to the chair's frame.

Push the tablet down to fasten it to the chair's frame without excess pressure.



#### Linking units

Stick Chair is the ideal chair for conference room. It is possible to connect the chairs each other through the glides or the specific connectors.

For the version without the armrests: the glides supplied are suitable for the linking of the chair in a row.

For the version with armrests: fix the couple of spacers on the structure linking one chair with other.

.....

STK - SKID BASE





#### Stackability

The chairs only weigh 4.4 kg each, which allows for simple and intuitive stacking by adding only 22 mm between chairs.

Stackable up to 15 units in height, or up to 22 units if using a wheeled trolley designed for the purpose.

.....

STK - SKID BASE



