



' vol. 1 **SOFAS AND SEATING SYSTEMS**

SEATING ELEMENTS WITH AND WITHOUT BACK

Stress resistant flame-retardant polyurethane foam in varied densities and polyester fiber on steel frame. Legs are polished die-cast aluminium with height-adjustable glides.

The Waiting collection covers are not removable.

NOTES:

- on request and without upcharge, linking devices are provided to connect elements in a planned composition
- in the case of linked modules, the back cushion can be extended to the end of the back surround, on one or both sides
- add upcharge of € 110 for each side to be extended.

' vol. 1 **DIVANI E SISTEMI DI SEDUTE**

ELEMENTI DI SEDUTA CON O SENZA SCHIENALE

Poliuretano espanso ignifugo indeformabile a densità differenziate e fibra poliestere con struttura interna in acciaio. Piedi in pressofusione di alluminio lucidato con sottopiedi regolabili in altezza.

La collezione Waiting non è sfoderabile.

NOTE:

- su richiesta e senza sovrapprezzo, sono disponibili i ganci di unione tra gli elementi, a seconda della destinazione d'uso
- nel caso di elementi uniti tra loro, il cuscino dello schienale può essere prolungato fino alla fine del controschienale, su un lato o su entrambi i lati
- il prezzo aggiuntivo per un lato è di € 110 .

Design Rodolfo Dordoni - 1989



Recommended fabric hangers

Tirelle e tessuti consigliati

- 110-Kvadrat x Moroso n° 1
- Divina
- Tonus
- Hallingdal
- Extrema
- Stamskin Top
- Pelle / Leather T
- Pelle / Leather Z

Technical tests - Prove tecniche


- EN 1728:2000 clause 6.2.1 level 3 severe
- EN 1728:2000 clause 6.2.2 level 3 severe
- EN 1728:2000 clause 6.7 level 3 severe
- EN 1728:2000 clause 6.12 level 3 severe
- EN 1728:2000 clause 6.13 level 3 severe
- EN 15373:2007 Annex A clause A.2 level 3 severe

Element 1-Sitzig 75

Elemento 1p cm.75

04A

2,7 mt. ★ 5 m² 0,6 m³ 45 Kg




Element 1-Sitzig 100

Elemento 1p cm.100

04B

3,5 mt. ★ 6 m² 0,9 m³ 54 Kg




Element 1-Sitzig 125

Elemento 1p cm.125

04C

4,4 mt. ★ 7,5 m² 1,2 m³ 60 Kg




Element 2-Sitzig 200

Elemento 2p cm.200

04D

6,4 mt. ★ 11 m² 1,5 m³ 85 Kg




Element 3-Sitzig 275

Elemento 3p cm.275

04E

8,7 mt. ★ 16,5 m² 2,4 m³ 100 Kg




Bench 200 without backrest

Elem.2p 200 senza schienale

04F

2,7 mt. ★ 5 m² 0,8 m³ 44 Kg




Bench 275 without backrest

Elem.3p 275 senza schienale

04G

3,5 mt. ★ 6,5 m² 1,3 m³ 50 Kg




Double face bench 125

Panca doppia cm.125

OP9

6 mt. ★ 11 m² □ 2,3 m³ ■ 130 Kg




Double face bench 200

Panca doppia cm.200

OT3

9,9 mt. ★ 18,8 m² □ 3,5 m³ ■ 180 Kg




Double face bench 275

Panca doppia cm.275

OU1

12,2 mt. ★ 23,2 m² □ 4,5 m³ ■ 220 Kg




Half circle element

Elemento semicerchio

OS9

7,5 mt. ★ 14 m² □ 2 m³ ■ 142 Kg




Closed corner

Angolo chiuso

04H

10,5 mt. ★ 19,8 m² □ 2,9 m³ ■ 90 Kg




Open corner

Angolo aperto

04I

7,3 mt. ★ 13,2 m² □ 2,2 m³ ■ 90 Kg




Closed corner without back rest

Angolo chiuso s/schienale

04L

3,3 mt. ★ 7,2 m² □ 1,2 m³ ■ 50 Kg



Open corner without back rest

Angolo aperto s/schienale

04M

3,3 mt. ★ 7,2 m² □ 1,2 m³ ■ 50 Kg

