T TABLE





only with a Keramik or resin top

A coffee table with a central leg characterized by the chromatic continuity of top and frame.

Frame

Frame with a steel central leg and a 4-pointstar base from cast aluminium. Adjustable feet.

- The frame with glass top is gloss lacquered in orange, black, red, green, yellow, light grey, white.
- The frame with keramik top is matt lacquered in light grey, medium grey, anthracite grey and white.
- The frame for the resin tabletop comes with a base (in aluminium) and a central tube (in steel) lacquered in matt white.

Tops

The tops are made of:

tempered glass

8 mm thick lacquered tempered glass, in orange, black, red, green, yellow,light grey,white. The top is built into the frame.

· matt keramik

The approx. 9 mm thick tops are made of a glass panel and a 3 mm thick ceramic plate Satin finish in anthracite grey, light grey, medium grey and white. A patented panel from MDF Italia (patent pending). The top is built into the frame

For technical specifications, please see page 4.52.

The material can have slight impurities, due to the particular production treatments, still accepted quality standards are complied with.

resin

mass-pigmented in white, thickness 9 mm.

For technical specifications, please see page 4.52

Dims

The coffee tables are square-shaped, in size 70x70, height 72 cm.

Measurement tolerance for built-in tops: Each side of the top is 1 mm smaller than the frame.

Due to the tolerances of the various materials, the top may lie slightly above or below the edge of the frame.

Outdoor use

The table with ceramic (keramik) or resin top is also usable outdoor.

IAny material left outside, even if properly treated, can have superficial molecular and colour changes during its lifetime. Of course, the amount of alterations is directly related to the amount of exposure to weather and to the geographical area (for ex., high humidity and/or salinity). This is particularly true with lacquered surfaces. The specific tests carried out on the tables have allowed to define a measurable limit on durability with no alterations. In particular, the corrosion resistance test has proven that no surface alterations are present in the first three years. After this lapse of time, slight alterations may occur, however without affecting the table's functionality.

Such limit is part of the Sales Conditions and it is up to the client whether to accept them or not.

Regular maintenance, for instance periodic cleaning with water, increase resistance to corrosion.

MATERIALS

CRISTALPLANT® for 4V\$ ‡ Flow Low Table • S Table with white stand



TECHNICAL SPECIFICATIONS

CRISTALPLANT® is a unique highly-advanced composite material made up of a high percentage of natural minerals (ATH derived from bauxite) and a small percentage of extremely pure polyester and acrylic polymers; thus it is an inert hypoallergenic and non-toxic material.

CRISTALPLANT® is a 100% made-in-Italy solid surface.

CRISTALPLANT® is 100% recyclable, fireproof (class 1), with a high UV resistance; it is compact and non-porous, hygienic and with a soft texture thanks to its velvet finish similar to natural stone.

CRISTALPLANT® is 100% restorable, ie it can be brought back to its original condition simply with a detergent and an abrasive sponge (also cigarette burns can be removed). Its characteristics of durability and restorability make it eco-compatible.

CERAMILUX® for Flow Low Table • S Table with black stand



TECHNICAL SPECIFICATIONS

CERAMILUX® is a material composed of natural minerals (calcium carbonates and aluminium trihydrates) and polyester resin. The gelcoat film coating the surface of the material is made of a highly-resistant acrylate polyester.

CERAMILUX® shows a good resistance to shocks and stress, to bending stress, tractions and compression: this allows it to obtain certain thicknesses without the support of other materials, thus creating self-supporting products.

CERAMILUX® is a high-quality material with an excellent resistance to shocks, sudden

changes of temperature and to wear, typical of the home environment. Good resistance to chemical agents and sun rays.

KERAMIK for tables and coffee tables: Keramik • Lim 04 • Desk • Edgar II • Ra 07 • T Table



TECHNICAL SPECIFICATIONS

Laminated ceramic features uniquely peculiar technical characteristics thanks to the innovative methods of ceramic treatment and production (laminated-porcelainized thin gres).

- Extreme surface hardness (comparable to topaz) and high bending strength.
- Resistant to stains, water, detergents and acids.
- Not inflammable, reaction to fire: class 0.
- Inalterability of the chromatic characteristics.
- It doesn't release toxic substances and there is no warping if heated with open flame

CATAS TESTS PERFORMED ON CERAMIC

- fastness to light UNI 9427/89
- resistance to cold liquids EN 12720/97
- tendency to hold dirt UNI 9300/88 and FA276/89
- scratch resistance UNI9428/89
- reaction of surfaces to detergents PTP53/95

Other tests related to technical characteristics:

 fire resistance, wearproof, hardness resistance, abrasion resistance and water absorption resistance

The material can have slight impurities, due to the particular production treatments, still accepted quality standards are complied with.

MATERIALS

RESIN for tables and coffee tables: Desk • Lim 04/Lim 04 Extra• Lim 04 Extension T • Colors/Colors Extra • Colors Extension T • T Table • Ext-Table



TECHNICAL SPECIFICATIONS

The resin is composed of natural minerals and very fine acrylic, mass-pigmented in white. The most advanced production process ensures the highest quality of the surface and high technical performance.

Technical specs:

- It does not absorb: it is non-porous and extremely resistant to stains
- Its colour does not change over years
- It is ecological and hygienic thanks to the acrylic resin
- Easy to clean: no special care is required.
 For everyday cleaning, simply use a

damp cloth and a soft cleanser.

Stubborn stains, scratches and small cigarette burns can be removed with an abrasive creamy detergent.

CEMENT for table Robin



TECHNICAL SPECIFICATIONS

The attractive hand finished application creates tops in a variety of finishes and colours.

Thanks to this feature, each table becomes a unique, handcrafted product.

Cement is applied by hand with a stain-resistant treatment that prevents the immediate absorption of stains.

As with any material, frequent cleaning is advisable to prevent prolonged contact with dirt and liquids from causing permanent stains.